

Greater Range of Embroidery Jobs, Now More Exciting

### **Expert Embroidery Machines**

# **Accessories Guide**

An extensive range of accessories is available to build on your skills, whether for fun or for business.

Combine various accessories to suit any number of jobs, all with a single PR Series unit.





















PR1050X



10-Needle Home Embroidery Machine with Built-in Camera

Maximum sewing area: 360 × 360 mm (14 × 14 in)

### Intrepreneur 6-Plus

PR670E



6-Needle Home Embroidery Machine with LED Positioning Marker

Maximum sewing area: 300 × 200 mm (12 × 8 in)

PRS100 / VR



1-Needle Home Embroidery Machine with LED Positioning Marker

Maximum sewing area: 200 × 200 mm (8 × 8 in)

#### **PR Series Features**

- Extensive range of accessories
- Portability
- **LCD Screen**
- Automatic Needle Threading
- Automatic Frame Detector

#### **Embroider completed caps**

**Cap Frame** 

oup i an			PRCF3
	PR1050X	PR670E	PRS100/VR
130 × 60 mm (5 × 2.4 in)	$\checkmark$	✓	<b>✓</b>





Set completed cap directly onto the machine



Stretch the cap over the frame



Embroider over a wider area

#### Embroider over a wider area

360 × 60 mm (14 × 2.4 in)


Wide Cap Frame

PR1050X PR670E PRS100/VR





Embroider right up to the edge



4 sections to which embroidery can be applied



Greater area for embroidery designs

#### Embroider large designs by stretching only once

### **Jumbo Frame**

PRPJF360

<del></del>	FINE JI JOU		
	PR1050X	PR670E	PRS100/VR
360 × 360 mm (14 × 14 in)	<b>✓</b>		





Embroider half the design with the garment stretched once



Rotate the frame when half the design is complete

## **Main Specifications and Functions**

	PR1050X	PR670E	PRS100/VR100			
Number of needles	10	6	1			
Speed adjustment	Individual Needle Speed adj	Individual Needle Speed adjustable from 400 to 1000 spm*(Frames); 400 to 600 spm (Caps/Cylinder/Clamps)				
Maximum sewing area	360 x 360 mm (Wide cap frame: 360 x 60 mm)	300 x 200 mm (Cap frame: 130 x 60 mm)	200 x 200 mm (Cap frame: 130 x 60 mm)			
(W × H)	14 x 14 in (Wide cap frame: 14 x 2.4 in)	12 x 8 in (Cap frame: 5 x 2.4 in)	8 x 8 in (Cap frame: 5 x 2.4 in)			
Maximum sewing area of included frame (W × H)	360 × 200 mm 14 × 8 in	300 × 200 mm 12 × 8 in	200 × 200 mm 8 × 8 in			
LCD	WVGA 1280 x 800 IPS 16,777,216 colors	WVGA 1280 x 800 IPS 16,777,216 colors	WVGA 800 × 480 TFT 260,000 colors			
Input	2 USB ports (2.0)/1 PC connection (2.0)/1 SD card	2 USB ports (2.0)/1 PC connection (2.0)/1 SD card	1 USB ports/1 PC connection			
Built in fonts	37	37	20			
Built in design	120	140 (One Point 60+BH,UtilityStitch 80)	405			
Automatic needle threading	Yes	Yes	Yes			
Needle position confirming	Camera/Live Camera	LED pointer	LED pointer			
Manual color sequence	Yes	Yes	No			
Sewing speed setting	Yes	Yes	No			
Single color sewing	Yes	Yes	Yes			
Color sort	Yes	Yes	Yes			
Built-in tutorial videos	22	16	No			

<sup>\*</sup> spm: stitches per minute

**PR Series Arm/Frame Compatibility** 

PR Series Arm/Frame Compatibility																	
		Models			PR1050X					PR670E				P	RS100/V	R	
	)	Arm	А	В	С	D	Е	А	В	С	D	Е	а	b	С	d	е
Frame	Sewing area (mm)	Label sign	A	B		D	E	A	B		D		a	b	C	d	e
	60 × 40	(No label)	<b>/</b>					<b>✓</b>					<b>✓</b>				
	100 × 100	(No label)	<b>✓</b>					<b>/</b>					<b>✓</b>				
Tubular	180 × 130	(No label)	<b>✓</b>					<b>✓</b>					<b>✓</b>				
	300 × 200	(No label)	<b>✓</b>					<b>/</b>									
	360 × 200	(No label)	<b>✓</b>														
Flat	300 × 200	(No label)	<b>/</b>					<b>✓</b>									
Quilt	200 × 200	В		<b>/</b>					<b>✓</b>								
Border	300 × 100	В		<b>✓</b>					<b>✓</b>								
Jumbo	360 × 360	В		<b>✓</b>													
Sleeve	70 × 200	В		<b>✓</b>					<b>/</b>								
	Ф100	C			<b>✓</b>					<b>/</b>					<b>✓</b>		
Round	Ф130	C			<b>✓</b>					<b>✓</b>					<b>✓</b>		
	Ф160	C			<b>✓</b>					<b>✓</b>					<b>✓</b>		
	45 × 24	D				<b>/</b>					<b>/</b>					<b>✓</b>	
	L: 45 × 24	D				<b>/</b>					<b>✓</b>						
Clamp	R: 45 × 24	D				<b>✓</b>					<b>✓</b>	1					
	M: 100 × 100	D				<b>/</b>					<b>✓</b>	6				<b>/</b>	
Tubular	200 × 200	а											<b>/</b>				
Flat	200 × 200	а											<b>✓</b>				
Border	180 × 100	b											XI	<b>/</b>			
	38 × 44	е					<b>/</b>					<b>/</b>	Ŋſ	1			<b>✓</b>
	41 × 70	е					<b>✓</b>			/\		<b>✓</b>		•			<b>✓</b>
S	33 × 75	е					<b>✓</b>					<b>✓</b>					<b>✓</b>
	50 × 50	е					<u> </u>				80	<u> </u>					<b>✓</b>
Magnetic	50 × 50	е					<u> </u>	9				<b>/</b>					<b>✓</b>
					<u> </u>			-	TO A A				60	<u> </u>			2017.08

#### Apply embroidery to shoes and other pieces that were previously difficult to embroider

**Clamp Frame** 

PRCLP45B/PRCLP45BAP/ PRSCLP45B/VRCLP45B

_	PR1050X	PR670E	PRS100/VR
45 × 24 mm (1.7 × 1 in)	$\checkmark$	$\checkmark$	$\checkmark$
L: 45 × 24 mm (1.7 × 1 in)	$\checkmark$	✓	
R: 45 × 24 mm (1.7 × 1 in)	$\checkmark$	✓	





X

Set larger shoes

Embroider the tongues of shoes





The PRS100/VR is compatible with the straight type only

Embroider the collars of polo shirts

#### Easiest framing with strong holding power, yet no hoop burn

Clamp Fr	ame M	PRCLPM1/PRCLP100B/PRCLPM1AP PRSCLPM1/VRCLP100B/VRCLP100BAF		
	PR1050X	PR670E	PRS100/VR	
100 × 100 mm (4 × 4 in)	<b>✓</b>	<b>✓</b>	$\checkmark$	









Ideal for tote bag, from thin to thick material

Easiest framing - just click and snap

Double-sided frame surface to cover both woven and slippery material

#### Ideal for embroidering continuous designs such as those on curtains and skirts

### **Border Frame**

PRPBF1/ PRSBH1/VRBF180

	PRSBH1/VRBF180		
	PR1050X	PR670E	PRS100/VR
300 × 100 mm (12 × 4 in)	<b>✓</b>	<b>✓</b>	
180 × 100 mm (7 × 4 in)			$\checkmark$









Remove the frame in one sten

Simply slide the cloth and fit the frame



The PRS100/VR offers a 180 mm x 100 mm sewing range

#### Apply the frame over a specific area

### **Round Frame**

PRPRFK1/ PRSRHK1/VRRFK1 PRS100/VR



T RORE IN THE TENTE OF THE TENT					
	PR1050X	PR670E	PRS100/VR		
Ф100 mm (4 in) (dia)	$\checkmark$	<b>✓</b>	<b>✓</b>		
Ф130 mm (5 in) (dia)	$\checkmark$	<b>✓</b>	<b>✓</b>		
Ф160 mm (6 in) (dia)	✓	<b>✓</b>	<b>✓</b>		





Set the garment in any direction, as long as the center of the frame is where you want it



Easily adjust designs that need to be properly aligned

### Square frame to suit quilt designs

### **Quilt Frame**

PRPQF200

	PR1050X	PR670E	PRS100/VR
200 × 200 mm (8 × 8 in)	<b>✓</b>	<b>✓</b>	



Square frame to make aligning quilt patterns and other embroidery positions easy







The square shape of the frame also makes it ideal for planning quilt designs

#### Excess cloth on larger pieces no longer gets in the way when applying embroidery

Flat Frame


i lat i raii	PRSFLH200/VRFF20		
	PR1050X	PR670E	PRS100/VR
300 × 200 mm (12 × 8 in)	$\checkmark$	$\checkmark$	
200 × 200 mm (8 × 8 in)			$\checkmark$





Cloth outside the frame is kept on top of the frame and out of the way

Even large pieces of cloth can be released to the upper side of the arm



The PRS100/VR offers a 200 mm x 200 mm sewing range

### Ideal for embroidering cylindrical sections

**Cylinder Frame** 

Pr				
	PR1050X	PR670E	PRS100/VR	
90 × 80 mm (3.5 × 3 in)	./			







Easily stretch shirt sleeves, trousers, bags and other similar shapes Stretch the piece over the special frame Apply embroidery only around cuffs





### Other accessories

	PR1050X	PR670E	PRS100/VR
Bobbin Winder	$\checkmark$	$\checkmark$	$\checkmark$
Wide Table	$\checkmark$	$\checkmark$	$\checkmark$
<b>Embroidery Stand</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Free Motion Kit			<b>✓</b>

**Bobbin Winder** 



**Wide Table** 

PRWT1/ PRSWT1/VRWT1



**Embroidery Stand** 

PRNSTD2/VRPRNSTD



**Free Motion Kit** 

PRSFMK1/ VRFMK1





#### Original designs can be embroidered

### **Scan Frame**

PRSCANFKIT1


			11100711111111
	PR1050X	PR670E	PRS100/VR
300 × 200 mm (12 × 8 in)	<b>✓</b>		



included in some countries



Set printed image on the frame



Secure with the magnets



Scan and import the image with My Design Center



The imported image can be edited and converted into embroidery data.

#### Achieve professional finish with easy framing

### **Magnetic Frame**

PRMHA50/PRMFA50/ PRMFA50AP

	PR1050X	PR670E	PRS100/VR
50 × 50 mm (2 × 2 in)	<b>✓</b>	<b>✓</b>	<b>✓</b>





Simple framing, without tightening thumb screw.



Ideal for materials vulnerable to hoop burn, such as stretch fabric or knit.

#### Embroidery is easy even for those parts that offer little stretch such as pockets

### Compact Frame/S Frame PRHCK1/PRSFK1/PRHCK1AP

00111	1 0,1117	- I OII OF	HCK I/PRSFK I/PRHCK IAP
	PR1050X	PR670E	PRS100/VR
38 × 44 mm (1.5 × 1.7 in)	$\checkmark$	$\checkmark$	$\checkmark$
41 × 70 mm (1.6 × 2.7 in)	$\checkmark$	$\checkmark$	$\checkmark$
33 × 75 mm (1.3 × 2.9 in)	$\checkmark$	$\checkmark$	$\checkmark$
50 × 50 mm (2 × 2 in)	$\checkmark$	<b>✓</b>	$\checkmark$





Embroidery is possible even in small spaces such as pockets, and support for automatic frame detection ensures both safety and peace-of-mind

Perfect for vertically long areas

### **Sleeve Frame**

<u> </u>			PRHSLZ00/PRHSLZ00AP
	PR1050X	PR670E	PRS100/VR
70 × 200 mm (2.7 × 8 in)	$\checkmark$	✓	





Perfect for embroidery of vertically long areas such as pants and sleeves



Jacket and jumper sleeves can also be embroidered





Can also be used for infant rompers and children's shirts